

C TRANSPORTER / A TRANSPORTER MARKET LEADING OPEN CAR TRAILERS

UNITED KINGDOM







C TRANSPORTER THE NAME IN RACE & RALLY PADDOCKS

5 YEAR CHASSIS WARRANTY

The **C Transporter** trailer range represents the essence of Brian James Trailers' core values. Those being quality you can depend on at competitive prices, **C Transporter** trailers offer real value for money.

C Transporter trailers are available in a wide range of sizes and configurations with either single or twin axles. Several models fit comfortably inside a standard garage, perfect if storage space is an issue.



TRANSPORTER

C Transporter

Innovation, value and quality



O Tie-down wheel 'sleeve' straps Approved by car manufacturers and race teams alike, these new straps hold the vehicle safely and securely without straining suspension geometry. Easy to fit, with multiple built-in tie-down points.



O Wheel chocks, Bolt in (pair) Fully adjustable wheel chocks bolt directly to the chassis bed. • High grip punched ramps 1.90m (single axle models) and 2.40m (twin axle models) long ramps store conveniently. Profiled guides allow the ramps to slide easily into the deck tray.



• Strong chassis design Durable galvanised chassis features a 'softride' suspension for superior performance, stability and comfort.






O Manual winch, 3 point adjustable pull positions, (pictured left).

O Electric winch, powerful 12V, 4500lbs capacity with remote control lead (option not shown).

Note: For twin axle models only



O Deck slick pad

For cars with soft 'slick' race tyres, pad raises tyre contact area above the punched deck.



O Manual winch, load pressure auto braked, 6 point adjustable pull positions.





• Protected rear lighting Robust protection to rear lamp cluster.



O Alloy wheels C Transporters are also available with alloy wheels in standard Silver or diamond-cut Anthracite (Anthracite shown).



A TRANSPORTER DESIGNED FOR PERFORMANCE

ONZ DISCOVERY 4

SDVE

5 YEAR CHASSIS WARRANTY

The **A Transporter** range represents the ultimate evolution in trailer design. With a strong, durable galvanised chassis, low bed height and a range topping 3000kg gross capacity. A Transporter trailers are perfectly suited for vehicle recovery, professional transport and motorsport alike.

A Transporter trailers are available with load bed lengths from 2.70m to 5.00m, in single or twin axle variants. All feature internally stored 'easy glide' ramps and a flush fitting centre deck.



A TRANSPORTER

A Transporter

High specification as standard



• Rear stands with foot pedal action Designed to compliment the 'easy glide' out ramps these spring loaded, foot operated support stands can be lowered or raised in seconds. Rear stands provide the dual function of load support when engaged and locking the ramps safely in position when towing.



• Easy glide, high grip ramps 1.90m (single axle models) and 2.40m (twin axle models) punched ramps pull out from the trailer bed in seconds.

'Easy-glide' rollers ensure the operation requires little effort.

O Wheel chocks, Professional Fully adjustable, quick release wheel chock system engages directly into the trailer chassis within seconds.

O Tie-down wheel 'sleeve' straps Approved by car manufacturers and race teams alike, these new straps hold the vehicle safely and securely without straining suspension geometry. Easy to fit, with multiple built-in tie-down points.







O Manual winch, load pressure auto braked, + 6 point adjustable pull positions.





O Fuel can storage

Designed to carry either 1, 2 or 3 × 20ltr Jerry cans. Lockable, twin opening doors. A Transporters are available in Sargasso blue, Poppy red, Arcelor anthracite or Jet black body colour trim and the fuel storage locker can be colour matched to the trailer body.







O Manual winch + 3 point adjustable pull positions.






O Alloy wheels A Transporters are also available with alloy wheels in standard Silver or diamond-cut Anthracite (Anthracite shown).


• Storage bed locker (front) Lockable front storage locker, with automatic lift lid.


Internal size: 425mm length, 90mm depth, width dependent on chassis load bed width.

TRANSPORTER

C Transporter - Single axle technical information









C TRANSPORTER – SINGLE AXLE	C TRANSPOR					
PRODUCT CODE	126-1011	126-1111	126-1211	126-1221	PRODUCT CODE	
					CAPACITY	
Gross kg	1,500	1,500	1,500	1,500	Gross kg	
Load kg	1,060	1,010	973	968	Load kg	
DIMENSIONS	DIMENSIONS					
Load bed length m A	2.70	3.20	3.70	3.70	Load bed length m A	
Internal bed width m B	1.80	1.80	1.80	2.00	Internal bed width m B	
Overall trailer length m C	4.18	4.68	5.18	5.18	Overall trailer length m	
Overall trailer width m D	2.18	2.18	2.18	2.38	Overall trailer width m	
Bed load height m	0.42	0.42	0.42	0.42	Bed load height m	
	RUNNING GEAR					
Wheel size	12"	12"	12"	12"	Wheel size	
Axles	1	1	1	1	Axles	
Spare wheel	•	•	٠	•	Spare wheel	
Heavy duty jockey wheel	•	•	٠	•	Heavy duty jockey whee	
Steel coupling head with integral high security lock	•	•	٠	•	Steel coupling head wit	
					RAMPS	
High grip, 1.90m E	•	•	٠	•	High grip, 2.40m E	
					WARRANTY	
5 year chassis warranty	٠	•	٠	•	5 year chassis warranty	


	C TRANSPORTER – TWIN AXLE									
	PRODUCT CODE	126-2002	126-2012	126-2112	126-2213	126-2223	126-2323	126-2423		
	CAPACITY									
	Gross kg	2,000	2,000	2,000	2,600	2,600	2,600	2,600		
	Load kg	1,445	1,425	1,388	1,970	1,955	1,930	1,905		
DIMENSIONS										
	Load bed length m A	3.30	3.30	3.70	4.00	4.00	4.50	5.00		
	Internal bed width m B	1.70	1.80	1.80	1.80	2.00	2.00	2.00		
	Overall trailer length m C	4.62	4.62	5.18	5.48	5.48	5.98	6.48		
	Overall trailer width m D	2.08	2.18	2.18	2.18	2.38	2.38	2.38		
	Bed load height m	0.42	0.42	0.42	0.42	0.42	0.42	0.42		
	RUNNING GEAR									
	Wheel size	12″	12"	12"	12"	12″	12″	12″		
	Axles	2	2	2	2	2	2	2		
	Spare wheel	٠	•	•	•	•	•	٠		
	Heavy duty jockey wheel	٠	•	•	•	•	•	٠		
	Steel coupling head with integral high security lock	٠	•	•	•	•	•	٠		
	RAMPS									
	High grip, 2.40m E	٠	•	•	•	•	•	٠		
	WARRANTY									
	5 year chassis warranty	٠	•	•	•	•	•	•		







A TRANSPORTER

A Transporter - Single axle technical information







A Transporter - Twin axle technical information



A TRANSPORTER – SINGLE AXLE	A TRANSPORTER				
PRODUCT CODE	125-1011	125-1111	125-1211	125-1312	PRODUCT CODE
CAPACITY	CAPACITY				
Gross kg	1,500	1,500	1,500	1,500	Gross kg
Load kg	1,060	1,010	973	955	Load kg
DIMENSIONS	DIMENSIONS				
Load bed length m A	2.70	3.20	3.70	4.00	Load bed length m A
Internal bed width m B	1.80	1.80	1.80	2.00	Internal bed width m B
Overall trailer length m C	4.24	4.74	5.24	5.54	Overall trailer length m ${\bf C}$
Overall trailer width m D	2.18	2.18	2.18	2.38	Overall trailer width m D
Bed load height m	0.42	0.42	0.42	0.42	Bed load height m
RUNNING GEAR	RUNNING GEAR				
Wheel size	12"	12″	12"	12"	Wheel size
Axles	1	1	1	1	Axles
Spare wheel	٠	•	•	•	Spare wheel
Heavy duty jockey wheel	٠	•	•	•	Heavy duty jockey wheel
Steel coupling head with integral high security lock	•	•	•	•	Steel coupling head with integral
RAMPS					RAMPS
High grip, glide out 1.90m E	•	•	•	•	High grip, glide out 2.40m E
WARRANTY	WARRANTY				
5 year chassis warranty	٠	٠	٠	•	5 year chassis warranty

	A TRANSPORTER – TWIN AXLE								
12	PRODUCT CODE	125-2002	125-2112	125-2213	125-2223	125-2323	125-2324	125-2423	125-242
	CAPACITY								
	Gross kg	2,000	2,000	2,600	2,600	2,600	3,000	2,600	3,000
	Load kg	1,445	1,388	1,970	1,955	1,930	2,320	1,905	2,295
	DIMENSIONS								
	Load bed length m A	3.30	3.70	4.00	4.00	4.50	4.50	5.00	5.00
	Internal bed width m B	1.70	1.80	1.80	2.00	2.00	2.00	2.00	2.00
	Overall trailer length m C	4.68	5.24	5.54	5.54	6.04	6.04	6.54	6.54
	Overall trailer width m D	2.08	2.18	2.18	2.38	2.38	2.38	2.38	2.38
	Bed load height m	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
	RUNNING GEAR								
	Wheel size	12″	12″	12"	12″	12″	12″	12″	12"
	Axles	2	2	2	2	2	2	2	2
	Spare wheel	•	•	•	•	•	٠	٠	٠
	Heavy duty jockey wheel	٠	٠	•	•	•	٠	٠	٠
	Steel coupling head with integral high security lock	•	•	•	•	•	٠	٠	•
	RAMPS								
	High grip, glide out 2.40m E	•	•	•	•	•	٠	٠	٠
	WARRANTY								
	5 year chassis warranty	•	•	•	•	•	•	•	•





BRIAN JAMES TRAILERS

>> Connected to you

5 YEAR EXTENDED CHASSIS WARRANTY

All of our trailers come with a standard 1 year non-transferable manufacturer's warranty covering the integrity of the chassis, which can be extended to 5 years at no additional charge upon registration.

This 5 year extended warranty applies to the chassis only. All other components are subject to a standard 1 year warranty, subject to fair wear and tear.

NOTES

All images used are for illustrative purposes only and may show non-standard equipment and finishes. All products are subject to change without prior notice due to our continuous development programme.

© BRIAN JAMES TRAILERS LIMITED

Edition: ACTRANS2021_Q1_1

Brian James Trailers Limited. Sopwith Way, Drayton Fields Industrial Estate Daventry, Northampton, NN11 8PB

T + 44 (0)1327 308 833

Brian James Trailers are available by contacting our sales team as well as through an extensive network of official dealers throughout the country.

For more information please call or visit our website.

www.brianjamestrailers.co.uk



2018

Dealer information